

 <p>Namibia Civil Aviation Authority Air Navigation Service Aeronautical Information Management</p>	<h2>Daily NOTAM Bulletin</h2>	Effective Date: 15 Sep 2018
	AIM SSI -001 F -03	Version 2

AERONAUTICAL INFORMATION SERVICES

Tel: +264-61-702087/83/80
 Fax: +264-61-702088
 Telex: 50-908) 811/2 WK
 E-mail: aisc@dca.com.na
 Website: www.dca.com.na

NAMIBIA CIVIL AVIATION AUTHORITY
 Private Bag 12003
 Ausspannplatz
 Windhoek
 NAMIBIA

DAILY NOTAM BULLETIN

<http://www.ncaa.com.na/ans-notam.htm>

10th December 2018

Enquiries: AISO

Our Ref: NTMS 2017

FYGF	A0094/18	1803330747	PERM	NO FOREIGN REGISTERED CIVILIAN ACFT ALLOWED TO LAND AT FYGF AD WITHOUT GRANTED PERMISSION FM THE MINISTRY OF DEFENCE (MOD), OFFICE OF CHIEF OF DEFENCE (CDF) PRIOR ARRANGEMENT SHOULD BE MADE FOR AUTHORIZATION AT THE FOLLOWING ADDRESS: MOD, CDF PRIVATE BAG 13307 WINDHOEK FAX 061258215
FYGF	B0101/18	1810181513	1812311500	GFV DME IS SERVICEABLE ON ONE CHANNEL
FYHO	C0068/18	1805030946	PERM	PILOTS AND OPERATORS ARE ADVISED THAT UNEXPECTED WIND SHEAR AND TURBULENCE HAVE BEEN REPORTED WHEN APPROACHING RWY 18/36, ON SHORT FINAL AND DURING FLARE. DUE TO SOFT (IRREGULAR) RWY SURFACE AT HOANIB, IT IS RECOMMENDED THAT NO ACFT NOT SUITABLY EQUIPPED FOR SOFT SURFACES BE OPERATED INTO THE AIRSTRIP. PILOTS TO MAKE INQUIRIES ABOUT OPERATING CONDITIONS AT: +264 61 274 200.
FYKA	C0049/18	1803330758	PERM	NO FOREIGN REGISTERED CIVILIAN ACFT ALLOWED TO LAND AT FYKA AD WITHOUT GRANTED PERMISSION FM THE MINISTRY OF DE FENCE (MOD), OFFICE OF CHIEF OF DEFENCE (CDF) PRIOR ARRANGEMENT SHOULD BE MADE FOR AUTHORIZATION AT THE FOLLOWING ADDRESS: MOD, CDF PRIVATE BAG 13307 WINDHOEK FAX 061258215
FYKM	B0119/18	1811191320	1812191600	MET DATA NOT AVBL DUE TO FAILURE OF POWER SUPPLY TO EQUIPMENT
FYKM	B0075/18	1807270600	PERM	AERODROME CONTROL TOWER (TWR) HOURS OF OPS/SERVICE ARE AS FOLLOWS: MON-FRI: 0600-1030 AND 1100-1400 SAT: CLSD SUN: 0700-1300

1

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

FYKM	B0094/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYKT	B0096/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYKT	A0490/18	1812110600	1812121500	FRICTION TEST TAKING PLACE ON RWY 04/22.
FYLZ	B0013/18	1802051512	1812311400	ATIS SERVICES ON FREQ.126.6MHZ OUT OF SERVICE DUE TO FAULTY EQUIPMENT.
FYLZ	B0091/18	1810010600	1812311400	AERODROME CONTROL TOWER (TWR) HOURS OF OPS/SERVICE MON-FRI 06000-0930 AND 1000-1400 SAT- NIL ATC SUN 0700-1300
FYLZ	B0125/18	1812061849	1901311500	FIRE FIGHTING AVAILABLE BUT NIL RESCUE SERVICES.
FYLZ	B0093/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYLZ	B0126/18	1812071424	1812171700	NIL ATC AVBL. PILOTS TO FOLLOW UNMANNED PROCEDURES.
FYRN	C0098/18	1806250912	PERM	NEW RHINO CAMP DIMENSIONS ARE AS FOLLOWS : COORDINATES 200211S0135035E RWY DESIGNATORS RWY09/27 DISPLACED TO A POINT OF 100M FM THE INITIAL POINT, THE FOLLOWING DECLARED DISTANCES IN METERS ARE AVBL FOR RWY09 TODA: 1400M LDA: 1300 M ,DISTANCE IN METERS FOR RWY27 TODA: 1400 LDA: 1300 FOR FURTHER INFO CONTACT 061 – 255735.
FYRU	B0095/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYOA	A0176/18	1805161355	PERM	AIRAC AIP SUP01/2018 CNL.
FYOA	A0373/18	1809201444	PERM	ONDANGWA TMA A AND TMA B AS DEPICTED IN AIP ENR2.1-8 COMPLETELY WITHDRAWN
FYOA	A0379/18	1809251437	1812292359	RWY08/26 LENGTH 2824M THR RWY08 DISPLACED BY 162M RWY08/26 WIDTH 45M RWY08/26 PCN 48/F/B/X/T TWY PCN 12/F/D/Y/U APRON PCN 12/F/D/Y/U
FYOA	B0044/18	1804260800	PERM	THR RWY 08 DISPLACED BY 163M TOTAL RWY LENGTH IS 2824M. DECLARED DISTANCE NOT DETERMINED.

2

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

FYOA	B0045/18	1804260751	PERM	RNP RWY 08 DUE DTHR BARO VNAV NOT AUTHORISED X LNAV MDA (OCH) INCREASED TO 4100(501)FT
FYOA	B0103/18	1810221310	1901232200	UNSERVICEABLE AREAS ON THE APRON MARKED WITH BARRICADES.
FYOA	B0092/18	1810050945	1901012200 EST	ANNUAL WGS-84 SURVEY NOT COMPLETED. ALL AERODROME DATA NOT VALIDATED.
FYOA	B009918	181018	PERM	NIL ATC VOICE RECORDING FAC AND RETENTION AVBL AT FYOA TWR.
FYOA	B0100/18	1810181512	1812311500	OAV DME IS SERVICABLE ON ONE CHANNEL
FYOA	B0104/18	1810251423	1901311700	NIL ATC VOICE RECORDING FAC AND RETENTION AVBL AT FYOA TWR.
FYOA	B0107/18	1810311404	PERM	ATC HOD ARE AS FOLLOWS: MON-FRI 05H00-18H00 SAT:05H00-14H00 SUN:05H00-10H00 AND 13H00-17H30.
FYOA	B0111/18	1811080400	1902082359	AERODROME HOURS OF OPS/SERVICE SUNDAY TO FRIDAY:0400 TO 1800 SATURDAY: 0400 TO 1400 AIRPORT AFTERS HOURS OPERATION REQUEST MR EN SHOOMBE CELL:+26481144163
FYOA	B0112/18	1811140000	1902012359	STS AD LICENSE ISSUED
FYOA	B0122/18	1811271533	PERM	HAND AMEND NAMIBIAN AIP FYOA AD 2-11 AND 2-13 DELETE ONDANGWA TMA A C FL145 - 5500
FYOA	A0495/18	1812031435	1903031430	NIL ATC VOICE RECORDING FACILITIES AND RETENTION AVAILABLE AT FYOA TOWER.
FYOG	B0084/18	1808090345	PERM	HAND AMEND NAMIBIAN AIP FYOG AD2-11 DATED 10 NOV 2016 COMMUNICATION FAILURE PROCEDURE, REPLACE OG201 WITH OG202.
FYWB	A403/18	1810081300	1901081300	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYWB	A0411/18	1810200000	1901052359	STS AD LICENSE ISSUED.
FYWB	A0470/18	1811250713	1812311600	FYWB TWR HOURS OF OPS/SERVICE ARE: MON-FRI : 0600-1600 SAT - SUN: 0700 - 1500 TIME MAY CHG ON SHORT NOTICE

3

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

FYWB	A0416/18	1810251355	1901101500	FYWB ILS/DME WBI 109.3MHZ RWY27 ON TEST. DO NOT USE FOR OPR PURPOSE.
FYWB	A0483/18	1811301511	1812301500	NIL AVGAS AVBL.
FYWB	A0435/18	1811071239	1901311700	FYWB ATIS ON FREQ 127.0MHZ OPR NORMAL, BUT ATIS ON CELLPHONE NUMBER 0813323511 BROADCAST UNSERVICEABLE
FYWB	A0464/18	1811231558	1812312359	FYWB ATIS FREQ 127.0MHZ IS TRANSMITTING WRONG TRANSITION LEVEL. PILOT TO RQUST TRANSITION LEVEL FROM ATC.
FYWB	A0456/18	1811170753	1902171500	SIMUL MOV OF ACFT ON RWY09/27 AND THE PARL TWY IS NOT ALLOWED,DUE TO INSUFFICIENT SEPARATION DIST BTN THE RWY CL AND THE TWY CL.
FYWE	A0397/18	1810062200	1901032200	ANNUAL WGS-84 SURVEY NOT CMPL. ALL AD DATA NOT VALIDATED.
FYWE	A0489/18	1812031204	PERM	EROS AD METEOROLOGICAL OFFICE DOES NOT SEND A METAR AN HOUR PRIOR TO THE OPERATIONS OF THE AD.
FYWE	A0491/18	1812050600	1812161500	W.I.P. GRASS CUTTING ON THE EDGE OF THE MAIN RWY 01/19.
FYWE	A0390/18	1809282200	1812282200	ABN OUT OF SERVICE
FYWE	A0475/18	1811281202	PERM	NIL CERTIFIED MET SENSORS AVAILABLE, ATS PROVIDING MET FROM UNCALIBRATED SYSTEM WHICH MAY NOT MEET ANNEX 3 REQUIREMENTS.
FYWE	A0479	1811281503	PERM	HAND AMEND NAMIBIA AIP AD FYWE AD 2-13 FYWE AD 2.22 FLIGHT PROCEDURES PARA. 2 DELETE EXISTING TEXT AND INSERT THE FOLLOWING TEXT: RNP APCH RWY 01 FOR NCAA APPROVED OPERATORS ONLY.
FYWH	A0481/18	1811301310	1902282359	DME CHANNEL 2 ASSOCIATED WITH GLIDE SLOPE ILS 110. 3 MHZ RWY26 U/S.
FYWH	A0136/18	1804241623	PERM	HAND AMEND NAMIBIAN AIP, FYWH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED. 2. MET HRS OF OPS/SERVICE ARE AS FOLLOWS: FORECAST H24 ASSISTANT MET TECHNICIAN 04H00-18H00 CONTACT DETAILS +264 62 540059 AND +264 62 540327.
FYWH	A0485/18	1811301900	1903011800	HOSEA KUTAKO INTERNATIONAL AIRPORT

4

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

				LICENSED UNTIL 191130.CONDITIONS AND RESTRICTIONS TO THE AD LICENSE ON THE PROHIBITIONS OF SIMULTANEOUS USE OF RWY 08/26 AND MAIN TWY PARALLEL TO RWY 08/26 REMAINS.
FYWH	A0249/18	1807121030	PERM	DUE MISALIGNMENT WITH NAMCAR 91.06.33 HAND AMEND NAMIBIA AIP ENR 1.1 GENERAL RULES 1.1.B) DELETE FOLLOWING TEXT "UNLESS THE FLIGHT CAN BE MADE WITHOUT HAZARD OR NUISANCE TO PERSONS OR PROPERTY ON THE GROUND OR WATER".
FYWH	A0434/18	1811071222	1902072359	HRS OF SERVICE FOR HOSEA KUTAKO INTL. AIRPORT ARE AS FOLLOWS: MONDAY 02H00-20H30 TUESDAY 02H00-20H30 WEDNESDAY 02H30-20H30 THURSDAY 02H00-20H30 FRIDAY 02H30-20H30 SATURDAY 02H00-20H30 SUNDAY 02H30-20H30
FYWH	A0281/18	1807241240	PERM	AIC SERIES A04/18 CNL
FYWH	A0474/18	1811271200	PERM	ALL CERTIFIED MET SENSORS FAILED, ATS PROVIDING MET FROM UNCALIBRATED SYSTEM WHICH MAY NOT MEET ANNEX 3 REQUIREMENTS.
FYWH	A0493/18	1812031333	1903032359	ANNUAL WGS-84 SURVEY NOT COMPLETED. ALL AERODROME DATA NOT VALIDATED.
FYWH	A0492/18	1812031325	1903032359	THE APRON MARKINGS AT FYWH ARE NOT COMMENSURATE TO THE TRAFFIC THAT FYWH INTENDS TO SERVE, THEREFORE THE APRON MARKINGS MUST B1903032359 1903032359E DISREGARDED AND THE PILOTS MUST FOLLOW THE MARSHALLER'S SIGNALS.
FYWH FIR	A0444/18	1811120600	1812311700	HELIUM BALLOON WILL BE HOISTED AT NAMWATER HEAD OFFICE IN NORTHERN INDUSTRY. COORDINATES: 223149S0170437E ELEVATION: 1629 GROUND TO 300 FEET AGL
FYWH FIR	A0344/18	1808301207	PERM	AIP SUP S03/18 CNL.
FYWH FIR	A0375/18	1809201815	PERM	HAND AMEND AIP FYOA AD 2-9 FYOA AD 2.17 ATS AIRSPACE POINT 6 REMAKS DELETE WORDS COMBINED WITH

5

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

				APP. FYOA AD 2.18 ATS COMMUNICATION FACILITIES DELETE IN TOTO FOURTH LINE BEGINNING WITH APPROACH.
FYWH FIR	A0363/18	1809151000	PERM	HAND AMEND NAMIBIAN AIP ENR 4.4 NAME CODE DESIGNATOR ATUPI COORDINATOR TO READ 231013.74S0170755.40E
FYWH FIR	A0368/18	1809171400	PERM	HAND AMEND NAMIBIA AIP SUP S08/18 PARAGRAPH 5 (A) TRANSPONDER MANDATORY ZONE FIRST SENTENCE TO READ X TRANSPONDER MANDATORY ZONES ARE ESTABLISHED DURING THE GLIDING SEASON TO ENSURE GREATER AWARENESS OF GLIDER TRAFFIC IN AREAS THAT MAY HAVE HIGH DENSITY IFR TRAFFIC OPERATIONS.
FYWH FIR	A0420/18	1810261434	PERM	HAND AMEND AIP AD FYLZ AD 2-6 FYLZ AD 2.17 ATS AIRSPACE 1. DESIGNATION AND LATERAL LIMITS AMEND ATZ TO CTR
FYWH FIR	A0430/18	1811021054	1812311500	VOLMET ON FREQUENCY 126.8MHZ U/S.
FYWH FIR	A0450/18	1811160703	1902142359	W.I.E ALL FLIGHTS TRANSITING FYWH FIR ABOVE FL245 RESTRICTED TO PUBLISHED ROUTES. FLIGHTS PLANNED VIA UN186/UT943 NORTH BOUND ARE REQUIRED TO CHANGE FROM ODD TO EVEN FLIGHT LEVELS AND ARE TO INDICATE EVENS FLIGHT LEVEL REQUIRED FROM POSITION ATUPI TO ACCOMMODATE TRAFFIC FLOW NORTH OF WINDHOEK FIR. SOUTH BOUND TRAFFIC TO ANTICIPATE FLIGHT LEVEL CHANGE FROM ADDS TO EVEN FLIGHT LEVELS AT VEDRY (WHV)
FYWH FIR	A0453/18	1811160927	PERM	HAND AMEND AIP ENR 6.1-1 ROUTE UN185 UN183 FROM DUTPU TO EGRED SHOULD READ UN185
FYWH FIR	A0461/18	1811210748	PERM	HAND AMEND NAMIBIA AIP FYWE AD 2-14 AD 2.23, 3 PARAGLIDING DELETE IN TOTO PARA 3.1 ENR 5.5-1 PARAGLIDING AREAS DELETE IN TOTO GROSS HERTZOG TWR AND ASSOCIATES TEXT.
FYWH FIR	A0471/18	1811260737	1901311600	RPAS ACT 3NM SE OF FYAR IN THE FOLLOWING AREA IN THE ROSSING MINE PIT AS DEFINED BY THE COORD: 222733.01S0150441.8E 222847.27S0150518.48E 223039.18S0150244.76E TO 222857.02S0150139.12E. ACFT TO CROSS THE PIT, STOCK PILE AND WASTE DUMP 35000FT OR ABOVE F) GND G) 2500FT AMSL

6

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
15 Sep 2018

AIM SSI -001 F -03

Version 2

FYWH FIR	A0497/18	1812061844	1812202359	TRIGGER NTM: PERM AIRAC AIP SUP S14/18 EFFECTIVE: AERIAL SPORTING AND RECREATIONAL ACTIVITIES.
FYWH FIR	C0162/18	1810091522	PERM	HAND AMEND NAMIBIAN AIP FYSM AD 2.23 PARA 1.4 A PERM DROP ZONE HAS BEEN DECLARED AT CHINA TOWN 223350S0143434E 6NM NORTH OF SWAKOPMUND. DLY SKYDIVING ACTIVITIES TAKING PLACE DLY BTN SR AND SS. PARACHUTE ACFT WILL OPERATE ON 126.3MHZ AND 122.5MHZ F) GND G) FL115
FYWH FIR	A0498/18	1812111400	1812121800	DAILY 1400-1800 TEMPO RESTRICTED AREA ESTABLISHED 9NM NW OF FYWB AT THE FLW AREA AS DEFINED IN THE COORDINATES 22504046S 014350404E RADIUS OF 0.5NM DUE TO RPAS ACFT . ACFT TO CROSS THE AREA 800FT AGL OR ABOVE ELEVATION AT 100FT AMSL. F) GND G) 300FT AGL
FYWH FIR	C0205/18	1812120800	1812121500	BLASTING WILL TAKE PLACE AT NAMIBIA CONSTRUCTION QUARRY 19KM EAST OF WALVIS BAY WITHIN THE FOLLOWING COORDINATES: 23132.14S014402.79E 23157.23S0144020.03E 23149.46S0144039.35E 23124.60S0144022.10E F) GND G) 1000FT AMSL
FYWH FIR	C0204/18	1812110900	1812111530	BLASTING TAKING PLACE AT CCP QUARRY STARTING FROM C2 APRX 17KM S OF WALVIS BAY DEFINED BY THE FLW COORD: 23132.14S 014402.79E 23157.23S0144020.03E 23149.46S 0144039.35E 23124.60S0144022.10E F) GND G) UNL
FYWH FIR	A0499/18	1812120600	1812120930	TEMPO RESTRICTED AREA ESTABLISHED 13NM S OF FYWB AT ROOIBANK DUNE BELT THE FLW AREA AS DEFINED IN THE COORDINATES 231228.64S 0143903.06E RADIUS OF 0.4NM DUE TO RPAS ACFT . ACFT TO CROSS THE AREA 900FT AGL OR ABOVE ELEVATION AT 470FT AMSL.

7

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.



Namibia Civil Aviation Authority
Air Navigation Service
Aeronautical Information
Management

Daily NOTAM Bulletin

Effective Date:
 15 Sep 2018

AIM SSI -001 F -03

Version 2

				F) GND G) 300FT AGL
FYWH FIR	C0206/18	1812121500	1812121530	BLASTING WILL TAKE PLACE AT BEIFANG MINING SERVICES ON THE C34 ROAD DEFINED BY THE FOLLOWING COORDINATE 225235S0143546E. F) GND G) 1000FT AGL
FYWH FIR	A0500/18	1812120600	1812120930	TEMPO RESTRICTED AREA ESTABLISHED 12NM NW OF FYWB AT PELICAN POINT PENINSULA BELT IN THE FLW AREA AS DEFINED IN THE COORDINATES 22521.93S 0142605.88E RADIUS OF 0.4NM DUE TO RPAS ACFT . ACFT TO CROSS THE AREA 650FT AGL OR ABOVE ELEVATION AT 20FT AMSL. F) GND G) 150FT AGL

8

Please Note:

It is the responsibility of the operator to routinely monitor the DCA Website for the latest NOTAM bulletin update.